



ProfHoloD Ltd.

Reg. no. 7705671650
 Agrohimi territory, bld. 5B, Schelkovo, Moscow region, Russia, 141100
 info@profholod.com www.profholod.com tel/fax +7 (495) 745-0137

ProfHoloD Cold Rooms with Fireproof PIR Premier updated on 28.09.2023
 with insulated door and shaped elements for assembly
 Retail Price List in US Dollars, VAT not included

PIR Insulated Panels for Cold Rooms. Panels' thickness 60 mm
 Equipped with 80 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm									
Length, mm	Width, mm	2200		2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1190	1310	2,6	792	2,9	816	3,2	844	3,4	872	3,7	900
	2500	5,3	991	5,8	1 026	6,3	1 066	6,8	1 106	7,3	1 145
	3690	7,9	1 193	8,7	1 241	9,5	1 292	10,2	1 343	11,0	1 394
	4880	10,6	1 393	11,6	1 452	12,6	1 514	13,6	1 577	14,7	1 639
	6070	13,2	1 596	14,5	1 667	15,8	1 741	17,1	1 815	18,3	1 889
	7260	15,9	1 796	17,4	1 878	18,9	1 963	20,5	2 048	22,0	2 134
	8450	18,5	1 999	20,3	2 093	22,1	2 190	23,9	2 286	25,7	2 383
2330	1310	5,6	998	6,1	1 033	6,7	1 072	7,2	1 112	7,7	1 152
	2500	11,2	1 264	12,3	1 312	13,3	1 363	14,4	1 414	15,5	1 465
	3690	16,8	1 528	18,4	1 587	20,0	1 650	21,6	1 712	23,2	1 775
	4880	22,4	1 796	24,5	1 867	26,7	1 941	28,8	2 015	31,0	2 089
	6070	28,0	2 060	30,7	2 142	33,3	2 227	36,0	2 313	38,7	2 398
	7260	33,6	2 328	36,8	2 422	40,0	2 518	43,2	2 615	46,5	2 712
	8450	39,2	2 592	42,9	2 697	46,7	2 805	50,5	2 913	54,2	3 021
3570	1310	8,5	1 207	9,4	1 254	10,2	1 305	11,0	1 356	11,8	1 407
	2500	17,1	1 535	18,7	1 594	20,4	1 656	22,0	1 719	23,6	1 781
	3690	25,6	1 867	28,1	1 938	30,5	2 012	33,0	2 086	35,5	2 160
	4880	34,2	2 195	37,4	2 278	40,7	2 363	44,0	2 448	47,3	2 533
	6070	42,7	2 528	46,8	2 622	50,9	2 718	55,0	2 815	59,1	2 912
	7260	51,2	2 856	56,2	2 961	61,1	3 069	66,0	3 177	70,9	3 285
	8450	59,8	3 189	65,5	3 305	71,3	3 425	77,0	3 544	82,8	3 664
4760	1310	11,5	1 412	12,6	1 472	13,7	1 534	14,8	1 596	15,9	1 659
	2500	23,0	1 809	25,2	1 880	27,4	1 954	29,6	2 028	31,8	2 102
	3690	34,5	2 202	37,8	2 284	41,1	2 369	44,4	2 455	47,7	2 540
	4880	45,9	2 599	50,4	2 693	54,8	2 789	59,2	2 886	63,6	2 983
	6070	57,4	2 992	62,9	3 097	68,5	3 205	74,0	3 313	79,5	3 421
	7260	68,9	3 389	75,5	3 505	82,2	3 625	88,8	3 744	95,4	3 864
	8450	80,4	3 781	88,1	3 909	95,9	4 040	103,6	4 171	111,3	4 302
5950	1310	14,4	1 622	15,8	1 693	17,2	1 767	18,6	1 841	20,0	1 915
	2500	28,9	2 079	31,6	2 162	34,4	2 247	37,2	2 332	40,0	2 417
	3690	43,3	2 541	47,5	2 635	51,6	2 731	55,8	2 828	59,9	2 925
	4880	57,7	2 998	63,3	3 103	68,8	3 211	74,4	3 319	79,9	3 427
	6070	72,2	3 460	79,1	3 576	86,0	3 695	93,0	3 815	99,9	3 934
	7260	86,6	3 917	94,9	4 044	103,2	4 175	111,6	4 306	119,9	4 437
	8450	101,0	4 374	110,7	4 513	120,4	4 655	130,2	4 798	139,9	4 939
7140	1310	17,4	1 828	19,0	1 910	20,7	1 996	22,4	2 081	24,1	2 166
	2500	34,8	2 354	38,1	2 448	41,4	2 544	44,8	2 641	48,1	2 738
	3690	52,1	2 876	57,1	2 981	62,2	3 089	67,2	3 197	72,2	3 305
	4880	69,5	3 402	76,2	3 518	82,9	3 637	89,6	3 757	96,2	3 876
	6070	86,9	3 923	95,2	4 051	103,6	4 182	111,9	4 313	120,3	4 444
	7260	104,3	4 445	114,3	4 584	124,3	4 726	134,3	4 868	144,4	5 009
	8450	121,6	4 971	133,3	5 121	145,0	5 275	156,7	5 429	168,4	5 581
8330	1310	20,3	2 038	22,3	2 132	24,2	2 229	26,2	2 325	28,1	2 422
	2500	40,6	2 624	44,6	2 729	48,5	2 837	52,4	2 945	56,3	3 054
	3690	61,0	3 215	66,8	3 331	72,7	3 451	78,5	3 570	84,4	3 690
	4880	81,3	3 801	89,1	3 929	96,9	4 059	104,7	4 190	112,5	4 321
	6070	101,6	4 387	111,4	4 526	121,1	4 668	130,9	4 811	140,7	4 951
	7260	121,9	4 977	133,7	5 128	145,4	5 281	157,1	5 435	168,8	5 588
	8450	142,2	5 563	155,9	5 725	169,6	5 890	183,3	6 056	197,0	6 219

You can order a cold room in custom size according to your specific needs

PIR Insulated Panels for Cold Rooms. Panels' thickness: 80 mm
Equipped with 80 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm									
Length, mm	Width, mm	2200		2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1190	1350	2,5	829	2,7	857	3,0	888	3,2	919	3,5	950
	2540	5,0	1 046	5,5	1 086	6,0	1 129	6,5	1 173	7,0	1 217
	3730	7,5	1 267	8,2	1 320	9,0	1 376	9,7	1 432	10,4	1 487
	4920	10,0	1 484	11,0	1 549	12,0	1 618	12,9	1 687	13,9	1 754
	6110	12,5	1 706	13,7	1 783	15,0	1 865	16,2	1 946	17,4	2 026
	7300	15,0	1 922	16,5	2 013	17,9	2 106	19,4	2 200	20,9	2 293
	8490	17,5	2 144	19,2	2 247	20,9	2 353	22,7	2 458	24,4	2 565
2380	1350	5,4	1 055	5,9	1 095	6,4	1 139	7,0	1 183	7,5	1 226
	2540	10,8	1 348	11,8	1 401	12,9	1 457	13,9	1 513	15,0	1 568
	3730	16,2	1 636	17,8	1 701	19,3	1 770	20,9	1 839	22,5	1 906
	4920	21,6	1 929	23,7	2 007	25,8	2 088	27,9	2 169	30,0	2 249
	6110	26,9	2 217	29,6	2 307	32,2	2 401	34,9	2 495	37,5	2 587
	7300	32,3	2 510	35,5	2 613	38,7	2 719	41,8	2 824	45,0	2 931
	8490	37,7	2 798	41,4	2 913	45,1	3 032	48,8	3 150	52,5	3 269
3570	1350	8,3	1 287	9,1	1 339	9,9	1 395	10,7	1 452	11,5	1 506
	2540	16,6	1 646	18,2	1 711	19,8	1 780	21,4	1 848	23,0	1 916
	3730	24,8	2 010	27,3	2 088	29,7	2 169	32,1	2 250	34,6	2 330
	4920	33,1	2 369	36,4	2 459	39,6	2 553	42,9	2 647	46,1	2 740
	6110	41,4	2 733	45,4	2 836	49,5	2 942	53,6	3 048	57,6	3 154
	7300	49,7	3 092	54,5	3 208	59,4	3 327	64,3	3 444	69,1	3 563
	8490	57,9	3 456	63,6	3 584	69,3	3 716	75,0	3 846	80,7	3 978
4760	1350	11,2	1 513	12,3	1 578	13,4	1 647	14,5	1 715	15,5	1 783
	2540	22,3	1 948	24,5	2 026	26,7	2 107	28,9	2 189	31,1	2 269
	3730	33,5	2 379	36,8	2 469	40,1	2 563	43,4	2 657	46,6	2 749
	4920	44,7	2 814	49,0	2 917	53,4	3 023	57,8	3 128	62,2	3 235
	6110	55,8	3 244	61,3	3 360	66,8	3 479	72,3	3 596	77,7	3 715
	7300	67,0	3 680	73,6	3 808	80,1	3 939	86,7	4 070	93,3	4 201
	8490	78,2	4 110	85,8	4 251	93,5	4 395	101,2	4 538	108,8	4 682
5950	1350	14,1	1 744	15,4	1 822	16,8	1 903	18,2	1 984	19,6	2 064
	2540	28,1	2 246	30,9	2 336	33,6	2 430	36,4	2 524	39,1	2 616
	3730	42,2	2 752	46,3	2 855	50,4	2 962	54,6	3 067	58,7	3 173
	4920	56,2	3 254	61,7	3 369	67,2	3 488	72,8	3 606	78,3	3 725
	6110	70,3	3 761	77,2	3 889	84,1	4 020	90,9	4 150	97,8	4 282
	7300	84,3	4 262	92,6	4 403	100,9	4 547	109,1	4 690	117,4	4 834
	8490	98,4	4 769	108,0	4 922	117,7	5 077	127,3	5 234	137,0	5 391
7140	1350	16,9	1 970	18,6	2 060	20,3	2 154	21,9	2 248	23,6	2 341
	2540	33,9	2 548	37,2	2 651	40,5	2 757	43,9	2 863	47,2	2 969
	3730	50,8	3 121	55,8	3 236	60,8	3 355	65,8	3 473	70,8	3 592
	4920	67,8	3 699	74,4	3 827	81,1	3 959	87,7	4 089	94,4	4 220
	6110	84,7	4 272	93,0	4 412	101,3	4 557	109,6	4 699	117,9	4 843
	7300	101,7	4 850	111,6	5 003	121,6	5 158	131,6	5 315	141,5	5 472
	8490	118,6	5 423	130,2	5 588	141,9	5 756	153,5	5 926	165,1	6 095
8330	1350	19,8	2 201	21,8	2 304	23,7	2 411	25,7	2 516	27,6	2 622
	2540	39,7	2 846	43,6	2 961	47,4	3 080	51,3	3 198	55,2	3 317
	3730	59,5	3 495	65,3	3 623	71,2	3 754	77,0	3 885	82,8	4 016
	4920	79,3	4 139	87,1	4 279	94,9	4 424	102,7	4 566	110,4	4 711
	6110	99,2	4 788	108,9	4 941	118,6	5 097	128,3	5 253	138,1	5 410
	7300	119,0	5 432	130,7	5 598	142,3	5 766	154,0	5 935	165,7	6 104
	8490	138,8	6 081	152,4	6 260	166,1	6 440	179,7	6 622	193,3	6 804

You can order a cold room in custom size according to your specific needs



Agrohim territory, bld. 58, Schelkovo,
 Moscow region, 141100, Russia

+7 (495) 745-01-37
 +7 (800) 700-01-37

www.profhod.ru/en

PIR Insulated Panels for Cold Rooms. Panels' thickness: 100 mm
Equipped with 100 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm									
Length, mm	Width, mm	2200		2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1190	1390	2,4	897	2,6	927	2,8	961	3,1	994	3,3	1 028
	2580	4,7	1 131	5,2	1 175	5,7	1 223	6,1	1 270	6,6	1 318
	3770	7,1	1 371	7,8	1 429	8,5	1 489	9,2	1 551	9,9	1 613
	4960	9,4	1 606	10,4	1 677	11,3	1 752	12,3	1 827	13,2	1 903
	6150	11,8	1 846	13,0	1 931	14,1	2 019	15,3	2 109	16,5	2 198
	7340	14,1	2 081	15,6	2 180	17,0	2 282	18,4	2 385	19,8	2 488
	8530	16,5	2 321	18,1	2 433	19,8	2 549	21,4	2 666	23,1	2 783
2380	1390	5,2	1 144	5,7	1 188	6,2	1 236	6,7	1 283	7,3	1 331
	2580	10,4	1 463	11,4	1 521	12,5	1 581	13,5	1 643	14,5	1 705
	3770	15,6	1 776	17,1	1 848	18,7	1 922	20,2	1 997	21,8	2 073
	4960	20,8	2 095	22,8	2 180	24,9	2 268	27,0	2 357	29,1	2 447
	6150	25,9	2 408	28,5	2 507	31,1	2 609	33,7	2 712	36,3	2 815
	7340	31,1	2 727	34,2	2 838	37,4	2 955	40,5	3 072	43,6	3 189
	8530	36,3	3 040	40,0	3 165	43,6	3 296	47,2	3 426	50,8	3 557
3570	1390	8,0	1 398	8,8	1 455	9,6	1 516	10,4	1 578	11,2	1 639
	2580	16,0	1 789	17,6	1 861	19,2	1 935	20,9	2 010	22,5	2 086
	3770	24,1	2 187	26,5	2 272	28,9	2 360	31,3	2 449	33,7	2 538
	4960	32,1	2 578	35,3	2 677	38,5	2 779	41,7	2 882	44,9	2 985
	6150	40,1	2 976	44,1	3 087	48,1	3 204	52,1	3 321	56,1	3 437
	7340	48,1	3 367	52,9	3 492	57,7	3 623	62,6	3 754	67,4	3 884
	8530	56,1	3 765	61,8	3 903	67,4	4 048	73,0	4 192	78,6	4 337
4760	1390	10,9	1 646	11,9	1 717	13,0	1 791	14,1	1 867	15,2	1 942
	2580	21,7	2 121	23,9	2 207	26,0	2 294	28,2	2 384	30,4	2 473
	3770	32,6	2 592	35,8	2 690	39,1	2 792	42,3	2 895	45,6	2 998
	4960	43,4	3 067	47,8	3 179	52,1	3 295	56,4	3 412	60,8	3 529
	6150	54,3	3 538	59,7	3 663	65,1	3 793	70,5	3 924	76,0	4 054
	7340	65,1	4 013	71,6	4 152	78,1	4 297	84,7	4 441	91,2	4 585
	8530	76,0	4 483	83,6	4 636	91,2	4 794	98,8	4 952	106,4	5 111
5950	1390	13,7	1 899	15,1	1 984	16,4	2 072	17,8	2 161	19,2	2 251
	2580	27,4	2 448	30,1	2 547	32,8	2 648	35,6	2 751	38,3	2 855
	3770	41,1	3 002	45,2	3 113	49,3	3 230	53,4	3 347	57,5	3 464
	4960	54,7	3 551	60,2	3 676	65,7	3 806	71,2	3 937	76,6	4 068
	6150	68,4	4 105	75,3	4 244	82,1	4 388	89,0	4 533	95,8	4 677
	7340	82,1	4 654	90,3	4 806	98,5	4 965	106,7	5 123	115,0	5 281
	8530	95,8	5 207	105,4	5 374	115,0	5 546	124,5	5 718	134,1	5 890
7140	1390	16,5	2 147	18,2	2 246	19,8	2 348	21,5	2 451	23,1	2 554
	2580	33,0	2 780	36,3	2 891	39,6	3 008	42,9	3 125	46,2	3 242
	3770	49,6	3 407	54,5	3 532	59,5	3 663	64,4	3 793	69,4	3 924
	4960	66,1	4 040	72,7	4 178	79,3	4 323	85,9	4 467	92,5	4 612
	6150	82,6	4 667	90,8	4 820	99,1	4 978	107,4	5 136	115,6	5 294
	7340	99,1	5 298	109,0	5 466	118,9	5 638	128,8	5 810	138,7	5 982
	8530	115,6	5 925	127,2	6 107	138,7	6 293	150,3	6 479	161,9	6 664
8330	1390	19,3	2 400	21,3	2 512	23,2	2 629	25,2	2 745	27,1	2 862
	2580	38,7	3 106	42,6	3 231	46,4	3 362	50,3	3 492	54,2	3 623
	3770	58,0	3 817	63,9	3 956	69,7	4 101	75,5	4 245	81,3	4 389
	4960	77,4	4 523	85,1	4 676	92,9	4 834	100,6	4 992	108,4	5 150
	6150	96,7	5 233	106,4	5 401	116,1	5 573	125,8	5 745	135,4	5 917
	7340	116,1	5 939	127,7	6 120	139,3	6 306	150,9	6 492	162,5	6 677
	8530	135,4	6 650	149,0	6 845	162,5	7 045	176,1	7 244	189,6	7 444

You can order a cold room in custom size according to your specific needs



Agrohim territory, bld. 58, Schelkovo,
 Moscow region, 141100, Russia

+7 (495) 745-01-37
 +7 (800) 700-01-37

www.profhod.ru/en

PIR Insulated Panels for Cold Rooms. Panels' thickness: 120 mm
Equipped with 120 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm							
Length, mm	Width, mm	2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1190	1430	2,4	1 058	2,7	1 096	2,9	1 133	3,1	1 171
	#####	4,9	1 328	5,3	1 381	5,8	1 434	6,2	1 487
	#####	7,3	1 605	8,0	1 673	8,7	1 741	9,4	1 809
	#####	9,8	1 875	10,7	1 958	11,6	2 041	12,5	2 124
	#####	12,2	2 151	13,3	2 250	14,5	2 348	15,6	2 446
	#####	14,7	2 421	16,0	2 535	17,4	2 648	18,7	2 762
	#####	17,1	2 698	18,7	2 826	20,3	2 955	21,8	3 084
2380	#####	5,5	1 346	6,0	1 399	6,5	1 451	7,0	1 504
	#####	11,0	1 709	12,0	1 777	13,0	1 845	14,1	1 913
	#####	16,5	2 066	18,0	2 149	19,6	2 232	21,1	2 315
	#####	22,0	2 429	24,0	2 527	26,1	2 626	28,1	2 724
	#####	27,5	2 786	30,0	2 900	32,6	3 013	35,1	3 127
	#####	33,0	3 149	36,1	3 278	39,1	3 407	42,2	3 535
	#####	38,5	3 506	42,1	3 650	45,6	3 794	49,2	3 938
3570	#####	8,6	1 628	9,4	1 696	10,1	1 764	10,9	1 831
	#####	17,1	2 084	18,7	2 167	20,3	2 250	21,9	2 333
	#####	25,7	2 533	28,1	2 632	30,4	2 730	32,8	2 828
	#####	34,2	2 977	37,4	3 091	40,6	3 204	43,7	3 318
	#####	42,8	3 427	46,8	3 556	50,7	3 684	54,7	3 813
	#####	51,4	3 871	56,1	4 027	60,9	4 171	65,6	4 314
	#####	59,9	4 333	65,5	4 492	71,0	4 651	76,6	4 810
4760	#####	11,6	1 927	12,7	2 011	13,8	2 094	14,8	2 177
	#####	23,2	2 464	25,4	2 562	27,5	2 661	29,7	2 759
	#####	34,9	2 995	38,1	3 108	41,3	3 222	44,5	3 335
	#####	46,5	3 531	50,8	3 660	55,1	3 789	59,4	3 929
	#####	58,1	4 074	63,5	4 218	68,8	4 362	74,2	4 505
	#####	69,7	4 611	76,2	4 770	82,6	4 929	89,1	5 088
	#####	81,3	5 141	88,9	5 315	96,4	5 490	103,9	5 664
5950	#####	14,7	2 221	16,0	2 320	17,4	2 418	18,8	2 516
	#####	29,4	2 839	32,1	2 952	34,8	3 066	37,5	3 179
	#####	44,0	3 462	48,1	3 591	52,2	3 719	56,3	3 848
	#####	58,7	4 092	64,1	4 235	69,6	4 379	75,0	4 523
	#####	73,4	4 715	80,2	4 874	87,0	5 033	93,8	5 192
	#####	88,1	5 332	96,2	5 507	104,4	5 681	112,5	5 855
	#####	102,7	5 956	112,3	6 145	121,8	6 347	131,3	6 535
7140	#####	17,7	2 509	19,4	2 622	21,0	2 736	22,7	2 849
	#####	35,5	3 219	38,8	3 348	42,0	3 477	45,3	3 605
	#####	53,2	3 923	58,1	4 079	63,1	4 223	68,0	4 367
	#####	70,9	4 646	77,5	4 805	84,1	4 964	90,6	5 123
	#####	88,7	5 350	96,9	5 524	105,1	5 698	113,3	5 872
	#####	106,4	6 060	116,3	6 262	126,1	6 451	136,0	6 639
	#####	124,2	6 776	135,6	6 981	147,1	7 185	158,6	7 389
8330	#####	20,8	2 803	22,7	2 931	24,6	3 060	26,6	3 189
	#####	41,6	3 594	45,4	3 738	49,3	3 881	53,1	4 025
	#####	62,4	4 403	68,2	4 562	73,9	4 721	79,7	4 880
	#####	83,2	5 194	90,9	5 368	98,6	5 542	106,3	5 716
	#####	104,0	5 991	113,6	6 180	123,2	6 382	132,9	6 570
	#####	124,8	6 794	136,3	6 998	147,9	7 203	159,4	7 406
	#####	145,6	7 591	159,0	7 811	172,5	8 030	186,0	8 261


You can order a cold room in custom size according to your specific needs



Agrohim territory, bld. 58, Schelkovo,
 Moscow region, 141101, Russia

+7 (495) 745-01-37
 +7 (800) 700-01-37

www.profhod.ru/en



ProfHoloD Cold Rooms solution includes

- **Wall insulated panels:**
 - External and internal surface: galvanized steel with polymer coating, RAL 9003 colour;
 - Insulation: rigid polyurethane foam PIR Premier, polyurethane foam density up to 50 kg/m³;
 - Core thermal conductivity coefficient $k=0,022 \text{ W/(m}^2\text{K)}$.
- **Ceiling panels:**
 - External surface: galvanized steel;
 - Internal surface: galvanized steel with polymer coating, RAL 9003 colour.
- **Floor panels:**
 - External and internal surface: galvanized steel.
- **Door: Insulated Hinged Single Leaf Door, size 800x1800 mm, installed on panel, Half-Hidden.**
- **Shaped elements**
- **Package**

Extras:

- **Hinged Double Leaf or Sliding Insulated Doors**
- **Gasket heating cable**
- **PVC strip curtain**
- **Door ramp**

How to choose polyurethane insulated panel thickness depending on inside and outside temperature

Panel thickness, mm	40	50	60	80	100	120	140	150	160	180	200
Temperature difference											
10° C	5,3	4,2	3,5	2,6	2,1	1,7	1,5	1,4	1,3	1,2	1
15° C	7,9	6,3	5,25	3,9	3,15	2,55	2,25	2,1	1,95	1,8	1,5
20° C	10,5	8,4	7	5,2	4,2	3,4	3	2,8	2,6	2,4	2
25° C	13,1	10,5	8,75	6,5	5,25	4,25	3,75	3,5	3,25	3	2,5
30° C	15,8	12,6	10,5	7,8	6,3	5,1	4,5	4,2	3,9	3,6	3
35° C	18,4	14,7	12,25	9,1	7,35	5,95	5,25	4,9	4,55	4,2	3,5
40° C	21	16,8	14	10,4	8,4	6,8	6	5,6	5,2	4,8	4
45° C	23,6	18,9	15,75	11,7	9,45	7,6	6,75	6,3	5,85	5,4	4,5
50° C	26,3	21	17,5	13	10,5	8,5	7,5	7	6,5	6	5
55° C	28,9	23,1	19,25	14,3	11,55	9,35	8,25	7,7	7,15	6,6	5,5
60° C	31,5	25,2	21	15,6	12,6	10,2	9	8,4	7,8	7,2	6
65° C	34,1	27,3	22,75	16,9	13,65	11,05	9,75	9,1	8,45	7,8	6,5
70° C	36,8	29,4	24,5	18,2	14,7	11,9	10,5	9,8	9,1	8,4	7
75° C	39,4	31,5	26,2	19,5	15,7	12,7	11,25	10,5	9,75	9	7,5
80° C	42	33,6	28	20,8	16,8	13,6	12	11,2	10,4	9,6	8
85° C	44,6	35,7	29,8	22,1	17,9	14,5	12,8	11,9	11	10,2	8,5
90° C	47,3	37,8	31,5	23,4	19,3	15,7	13,9	13,1	12,2	11,4	9,5
95° C	49,9	39,9	33,3	24,7	20,6	17,1	15,3	14,5	13,7	12,9	11,1



Agrohim territory, bld. 58, Schelkovo,
Moscow region, 141100, Russia

+7 (495) 745-01-37

+7 (800) 700-01-37

www.profhod.ru/en