



ProfHoloD Ltd.

Reg. no. 7705671650
 Agrohim territory, bld. 5B, Schelkovo, Moscow region, Russia, 141100
 info@profholod.com www.profholod.com tel/fax +7 (495) 745-0137

ProfHoloD Cold Rooms with PUR Classic Insulation updated on 28.09.2023
 with insulated door and shaped elements for assembly
 Retail Price List in US Dollars, VAT not included

PUR Insulated Panels for Cold Rooms. Panels' thickness 60 mm
 Equipped with 80 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm									
Length, mm	Width, mm	2200		2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1190	1310	2,6	832	2,9	858	3,2	889	3,4	920	3,7	951
	2500	5,3	1 061	5,8	1 100	6,3	1 145	6,8	1 189	7,3	1 233
	3690	7,9	1 293	8,7	1 347	9,5	1 404	10,2	1 462	11,0	1 519
	4880	10,6	1 522	11,6	1 589	12,6	1 660	13,6	1 730	14,7	1 801
	6070	13,2	1 755	14,5	1 836	15,8	1 919	17,1	2 003	18,3	2 087
	7260	15,9	1 984	17,4	2 078	18,9	2 175	20,5	2 272	22,0	2 369
	8450	18,5	2 217	20,3	2 324	22,1	2 435	23,9	2 545	25,7	2 655
2330	1310	5,6	1 068	6,1	1 108	6,7	1 152	7,2	1 196	7,7	1 240
	2500	11,2	1 376	12,3	1 430	13,3	1 487	14,4	1 545	15,5	1 602
	3690	16,8	1 680	18,4	1 747	20,0	1 818	21,6	1 888	23,2	1 959
	4880	22,4	1 988	24,5	2 069	26,7	2 153	28,8	2 237	31,0	2 320
	6070	28,0	2 292	30,7	2 386	33,3	2 483	36,0	2 580	38,7	2 677
	7260	33,6	2 601	36,8	2 708	40,0	2 818	43,2	2 929	46,5	3 039
	8450	39,2	2 905	42,9	3 025	46,7	3 149	50,5	3 272	54,2	3 396
3570	1310	8,5	1 308	9,4	1 362	10,2	1 420	11,0	1 477	11,8	1 534
	2500	17,1	1 687	18,7	1 755	20,4	1 825	22,0	1 896	23,6	1 967
	3690	25,6	2 071	28,1	2 152	30,5	2 236	33,0	2 319	35,5	2 403
	4880	34,2	2 450	37,4	2 544	40,7	2 642	44,0	2 739	47,3	2 836
	6070	42,7	2 834	46,8	2 942	50,9	3 052	55,0	3 162	59,1	3 272
	7260	51,2	3 214	56,2	3 334	61,1	3 458	66,0	3 581	70,9	3 705
	8450	59,8	3 598	65,5	3 731	71,3	3 868	77,0	4 005	82,8	4 141
4760	1310	11,5	1 544	12,6	1 612	13,7	1 682	14,8	1 753	15,9	1 824
	2500	23,0	2 003	25,2	2 084	27,4	2 168	29,6	2 252	31,8	2 336
	3690	34,5	2 458	37,8	2 552	41,1	2 649	44,4	2 746	47,7	2 843
	4880	45,9	2 917	50,4	3 024	54,8	3 135	59,2	3 245	63,6	3 355
	6070	57,4	3 372	62,9	3 492	68,5	3 616	74,0	3 739	79,5	3 863
	7260	68,9	3 831	75,5	3 964	82,2	4 101	88,8	4 238	95,4	4 375
	8450	80,4	4 286	88,1	4 432	95,9	4 582	103,6	4 732	111,3	4 882
5950	1310	14,4	1 785	15,8	1 866	17,2	1 950	18,6	2 034	20,0	2 117
	2500	28,9	2 315	31,6	2 409	34,4	2 506	37,2	2 603	40,0	2 700
	3690	43,3	2 849	47,5	2 957	51,6	3 067	55,8	3 177	59,9	3 287
	4880	57,7	3 379	63,3	3 500	68,8	3 623	74,4	3 747	79,9	3 870
	6070	72,2	3 914	79,1	4 047	86,0	4 184	93,0	4 321	99,9	4 457
	7260	86,6	4 443	94,9	4 590	103,2	4 740	111,6	4 890	119,9	5 040
	8450	101,0	4 973	110,7	5 134	120,4	5 297	130,2	5 460	139,9	5 622
7140	1310	17,4	2 022	19,0	2 116	20,7	2 213	22,4	2 310	24,1	2 407
	2500	34,8	2 631	38,1	2 739	41,4	2 849	44,8	2 959	48,1	3 069
	3690	52,1	3 236	57,1	3 357	62,2	3 480	67,2	3 604	72,2	3 727
	4880	69,5	3 846	76,2	3 980	82,9	4 116	89,6	4 253	96,2	4 390
	6070	86,9	4 451	95,2	4 598	103,6	4 748	111,9	4 898	120,3	5 048
	7260	104,3	5 056	114,3	5 216	124,3	5 379	134,3	5 543	144,4	5 704
	8450	121,6	5 666	133,3	5 839	145,0	6 016	156,7	6 192	168,4	6 367
8330	1310	20,3	2 263	22,3	2 370	24,2	2 480	26,2	2 590	28,1	2 701
	2500	40,6	2 943	44,6	3 063	48,5	3 187	52,4	3 310	56,3	3 434
	3690	61,0	3 628	66,8	3 761	72,7	3 898	78,5	4 035	84,4	4 172
	4880	81,3	4 308	89,1	4 455	96,9	4 605	104,7	4 755	112,5	4 905
	6070	101,6	4 988	111,4	5 149	121,1	5 312	130,9	5 475	140,7	5 637
	7260	121,9	5 673	133,7	5 847	145,4	6 023	157,1	6 199	168,8	6 374
	8450	142,2	6 354	155,9	6 540	169,6	6 730	183,3	6 920	197,0	7 108

You can order a cold room in custom size according to your specific needs

PUR Insulated Panels for Cold Rooms. Panels' thickness 80 mm
Equipped with 80 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm									
Length, mm	Width, mm	2200		2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1190	1350	2,5	873	2,7	903	3,0	937	3,2	971	3,5	1 006
	2540	5,0	1 122	5,5	1 167	6,0	1 215	6,5	1 264	7,0	1 313
	3730	7,5	1 376	8,2	1 435	9,0	1 498	9,7	1 562	10,4	1 623
	4920	10,0	1 625	11,0	1 699	12,0	1 776	12,9	1 854	13,9	1 931
	6110	12,5	1 878	13,7	1 967	15,0	2 059	16,2	2 152	17,4	2 243
	7300	15,0	2 127	16,5	2 231	17,9	2 337	19,4	2 444	20,9	2 550
	8490	17,5	2 381	19,2	2 499	20,9	2 621	22,7	2 741	24,4	2 862
2380	1350	5,4	1 133	5,9	1 178	6,4	1 227	7,0	1 275	7,5	1 324
	2540	10,8	1 470	11,8	1 530	12,9	1 593	13,9	1 656	15,0	1 718
	3730	16,2	1 802	17,8	1 876	19,3	1 954	20,9	2 032	22,5	2 108
	4920	21,6	2 139	23,7	2 228	25,8	2 320	27,9	2 412	30,0	2 503
	6110	26,9	2 471	29,6	2 574	32,2	2 681	34,9	2 788	37,5	2 894
	7300	32,3	2 808	35,5	2 926	38,7	3 047	41,8	3 168	45,0	3 289
	8490	37,7	3 140	41,4	3 273	45,1	3 409	48,8	3 543	52,5	3 679
3570	1350	8,3	1 398	9,1	1 458	9,9	1 521	10,7	1 584	11,5	1 646
	2540	16,6	1 813	18,2	1 887	19,8	1 965	21,4	2 043	23,0	2 119
	3730	24,8	2 233	27,3	2 322	29,7	2 414	32,1	2 507	34,6	2 598
	4920	33,1	2 649	36,4	2 752	39,6	2 859	42,9	2 966	46,1	3 071
	6110	41,4	3 069	45,4	3 187	49,5	3 308	53,6	3 428	57,6	3 550
	7300	49,7	3 484	54,5	3 616	59,4	3 752	64,3	3 887	69,1	4 023
	8490	57,9	3 904	63,6	4 051	69,3	4 202	75,0	4 351	80,7	4 501
4760	1350	11,2	1 658	12,3	1 732	13,4	1 810	14,5	1 888	15,5	1 964
	2540	22,3	2 161	24,5	2 250	26,7	2 342	28,9	2 435	31,1	2 526
	3730	33,5	2 660	36,8	2 763	40,1	2 870	43,4	2 977	46,6	3 082
	4920	44,7	3 163	49,0	3 281	53,4	3 402	57,8	3 522	62,2	3 644
	6110	55,8	3 661	61,3	3 794	66,8	3 930	72,3	4 065	77,7	4 201
	7300	67,0	4 165	73,6	4 312	80,1	4 462	86,7	4 612	93,3	4 762
	8490	78,2	4 663	85,8	4 825	93,5	4 990	101,2	5 154	108,8	5 319
5950	1350	14,1	1 923	15,4	2 012	16,8	2 104	18,2	2 197	19,6	2 287
	2540	28,1	2 505	30,9	2 608	33,6	2 715	36,4	2 822	39,1	2 927
	3730	42,2	3 091	46,3	3 209	50,4	3 330	54,6	3 451	58,7	3 572
	4920	56,2	3 673	61,7	3 805	67,2	3 941	72,8	4 076	78,3	4 212
	6110	70,3	4 259	77,2	4 406	84,1	4 557	90,9	4 706	97,8	4 856
	7300	84,3	4 841	92,6	5 002	100,9	5 167	109,1	5 331	117,4	5 496
	8490	98,4	5 427	108,0	5 603	117,7	5 782	127,3	5 961	137,0	6 141
7140	1350	16,9	2 183	18,6	2 287	20,3	2 393	21,9	2 500	23,6	2 606
	2540	33,9	2 853	37,2	2 971	40,5	3 092	43,9	3 212	47,2	3 334
	3730	50,8	3 518	55,8	3 650	60,8	3 786	65,8	3 921	70,8	4 057
	4920	67,8	4 187	74,4	4 334	81,1	4 485	87,7	4 634	94,4	4 784
	6110	84,7	4 852	93,0	5 013	101,3	5 179	109,6	5 342	117,9	5 507
	7300	101,7	5 521	111,6	5 698	121,6	5 876	131,6	6 056	141,5	6 235
	8490	118,6	6 186	130,2	6 377	141,9	6 570	153,5	6 764	165,1	6 958
8330	1350	19,8	2 448	21,8	2 566	23,7	2 688	25,7	2 808	27,6	2 929
	2540	39,7	3 196	43,6	3 329	47,4	3 465	51,3	3 599	55,2	3 735
	3730	59,5	3 949	65,3	4 096	71,2	4 246	77,0	4 396	82,8	4 546
	4920	79,3	4 697	87,1	4 858	94,9	5 023	102,7	5 187	110,4	5 352
	6110	99,2	5 450	108,9	5 626	118,6	5 804	128,3	5 984	138,1	6 163
	7300	119,0	6 197	130,7	6 388	142,3	6 581	154,0	6 775	165,7	6 969
	8490	138,8	6 950	152,4	7 155	166,1	7 363	179,7	7 572	193,3	7 780

You can order a cold room in custom size according to your specific needs



Agrohim territory, bld. 58, Schelkovo,
 Moscow region, 141100, Russia

+7 (495) 745-01-37
 +7 (800) 700-01-37

www.profhod.ru/en

PUR Insulated Panels for Cold Rooms. Panels' thickness: 100 mm
Equipped with 100 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm									
Length, mm	Width, mm	2200		2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1190	1390	2,4	944	2,6	977	2,8	1 015	3,1	1 051	3,3	1 088
	2580	4,7	1 214	5,2	1 263	5,7	1 316	6,1	1 368	6,6	1 422
	3770	7,1	1 489	7,8	1 554	8,5	1 622	9,2	1 692	9,9	1 761
	4960	9,4	1 759	10,4	1 840	11,3	1 924	12,3	2 009	13,2	2 094
	6150	11,8	2 034	13,0	2 131	14,1	2 231	15,3	2 332	16,5	2 434
	7340	14,1	2 303	15,6	2 416	17,0	2 532	18,4	2 650	19,8	2 767
	8530	16,5	2 578	18,1	2 706	19,8	2 839	21,4	2 973	23,1	3 106
2380	1390	5,2	1 229	5,7	1 278	6,2	1 332	6,7	1 384	7,3	1 437
	2580	10,4	1 596	11,4	1 661	12,5	1 729	13,5	1 798	14,5	1 868
	3770	15,6	1 957	17,1	2 038	18,7	2 122	20,2	2 208	21,8	2 293
	4960	20,8	2 324	22,8	2 421	24,9	2 521	27,0	2 622	29,1	2 723
	6150	25,9	2 685	28,5	2 798	31,1	2 914	33,7	3 031	36,3	3 149
	7340	31,1	3 052	34,2	3 179	37,4	3 313	40,5	3 446	43,6	3 579
	8530	36,3	3 413	40,0	3 556	43,6	3 706	47,2	3 855	50,8	4 004
3570	1390	8,0	1 520	8,8	1 585	9,6	1 653	10,4	1 722	11,2	1 792
	2580	16,0	1 972	17,6	2 054	19,2	2 138	20,9	2 223	22,5	2 308
	3770	24,1	2 431	26,5	2 528	28,9	2 628	31,3	2 729	33,7	2 830
	4960	32,1	2 883	35,3	2 996	38,5	3 112	41,7	3 230	44,9	3 347
	6150	40,1	3 342	44,1	3 469	48,1	3 603	52,1	3 736	56,1	3 869
	7340	48,1	3 794	52,9	3 938	57,7	4 087	62,6	4 236	67,4	4 386
	8530	56,1	4 252	61,8	4 412	67,4	4 577	73,0	4 743	78,6	4 908
4760	1390	10,9	1 805	11,9	1 886	13,0	1 970	14,1	2 055	15,2	2 141
	2580	21,7	2 354	23,9	2 452	26,0	2 552	28,2	2 653	30,4	2 754
	3770	32,6	2 899	35,8	3 012	39,1	3 128	42,3	3 245	45,6	3 362
	4960	43,4	3 448	47,8	3 576	52,1	3 709	56,4	3 843	60,8	3 976
	6150	54,3	3 993	59,7	4 136	65,1	4 286	70,5	4 435	76,0	4 584
	7340	65,1	4 542	71,6	4 702	78,1	4 867	84,7	5 033	91,2	5 198
	8530	76,0	5 087	83,6	5 262	91,2	5 444	98,8	5 625	106,4	5 806
5950	1390	13,7	2 095	15,1	2 192	16,4	2 292	17,8	2 394	19,2	2 495
	2580	27,4	2 731	30,1	2 844	32,8	2 960	35,6	3 077	38,3	3 195
	3770	41,1	3 372	45,2	3 500	49,3	3 633	53,4	3 767	57,5	3 900
	4960	54,7	4 008	60,2	4 152	65,7	4 301	71,2	4 450	76,6	4 600
	6150	68,4	4 650	75,3	4 809	82,1	4 975	89,0	5 140	95,8	5 305
	7340	82,1	5 285	90,3	5 461	98,5	5 642	106,7	5 823	115,0	6 005
	8530	95,8	5 925	105,4	6 118	115,0	6 315	124,5	6 513	134,1	6 710
7140	1390	16,5	2 380	18,2	2 493	19,8	2 609	21,5	2 727	23,1	2 844
	2580	33,0	3 113	36,3	3 241	39,6	3 374	42,9	3 507	46,2	3 641
	3770	49,6	3 840	54,5	3 984	59,5	4 133	64,4	4 283	69,4	4 432
	4960	66,1	4 573	72,7	4 733	79,3	4 898	85,9	5 063	92,5	5 229
	6150	82,6	5 301	90,8	5 476	99,1	5 658	107,4	5 839	115,6	6 020
	7340	99,1	6 032	109,0	6 225	118,9	6 422	128,8	6 620	138,7	6 817
	8530	115,6	6 760	127,2	6 969	138,7	7 182	150,3	7 395	161,9	7 608
8330	1390	19,3	2 671	21,3	2 799	23,2	2 932	25,2	3 065	27,1	3 198
	2580	38,7	3 490	42,6	3 633	46,4	3 783	50,3	3 932	54,2	4 081
	3770	58,0	4 314	63,9	4 474	69,7	4 639	75,5	4 804	81,3	4 969
	4960	77,4	5 133	85,1	5 309	92,9	5 490	100,6	5 671	108,4	5 852
	6150	96,7	5 956	106,4	6 149	116,1	6 346	125,8	6 543	135,4	6 741
	7340	116,1	6 775	127,7	6 984	139,3	7 197	150,9	7 410	162,5	7 623
	8530	135,4	7 599	149,0	7 824	162,5	8 053	176,1	8 282	189,6	8 512

You can order a cold room in custom size according to your specific needs



Agrohim territory, bld. 58, Schelkovo,
 Moscow region, 141100, Russia

+7 (495) 745-01-37
 +7 (800) 700-01-37

www.profhod.ru/en

PUR Insulated Panels for Cold Rooms. Panels' thickness: 120 mm
Equipped with 120 mm thick Half Hidden Single Leaf Door, door size 800x1800

Size, mm		Height, mm							
Length, mm	Width, mm	2400		2600		2800		3000	
		Volume, m3	Price	Volume, m3	Price	Volume, m3	Price	Volume, m3	Price
1190	1430	2,4	1 114	2,7	1 155	2,9	1 196	3,1	1 238
	2620	4,9	1 424	5,3	1 483	5,8	1 542	6,2	1 601
	3810	7,3	1 741	8,0	1 818	8,7	1 894	9,4	1 970
	5000	9,8	2 052	10,7	2 146	11,6	2 240	12,5	2 334
	6190	12,2	2 369	13,3	2 480	14,5	2 592	15,6	2 703
	7380	14,7	2 679	16,0	2 808	17,4	2 938	18,7	3 067
	8570	17,1	2 996	18,7	3 143	20,3	3 290	21,8	3 436
2380	1430	5,5	1 445	6,0	1 504	6,5	1 563	7,0	1 621
	2620	11,0	1 863	12,0	1 939	13,0	2 016	14,1	2 092
	3810	16,5	2 275	18,0	2 369	19,6	2 463	21,1	2 557
	5000	22,0	2 692	24,0	2 804	26,1	2 916	28,1	3 027
	6190	27,5	3 104	30,0	3 233	32,6	3 363	35,1	3 492
	7380	33,0	3 522	36,1	3 669	39,1	3 816	42,2	3 963
	8570	38,5	3 934	42,1	4 098	45,6	4 263	49,2	4 427
3570	1430	8,6	1 770	9,4	1 846	10,1	1 923	10,9	1 999
	2620	17,1	2 295	18,7	2 389	20,3	2 483	21,9	2 577
	3810	25,7	2 814	28,1	2 926	30,4	3 037	32,8	3 149
	5000	34,2	3 327	37,4	3 456	40,6	3 585	43,7	3 715
	6190	42,8	3 846	46,8	3 993	50,7	4 140	54,7	4 286
	7380	51,4	4 359	56,1	4 535	60,9	4 700	65,6	4 864
	8570	59,9	4 890	65,5	5 072	71,0	5 254	76,6	5 436
4760	1430	11,6	2 113	12,7	2 207	13,8	2 301	14,8	2 395
	2620	23,2	2 733	25,4	2 845	27,5	2 956	29,7	3 068
	3810	34,9	3 347	38,1	3 477	41,3	3 606	44,5	3 735
	5000	46,5	3 968	50,8	4 114	55,1	4 261	59,4	4 420
	6190	58,1	4 594	63,5	4 758	68,8	4 922	74,2	5 087
	7380	69,7	5 214	76,2	5 396	82,6	5 578	89,1	5 760
	8570	81,3	5 828	88,9	6 028	96,4	6 227	103,9	6 427
5950	1430	14,7	2 450	16,0	2 562	17,4	2 673	18,8	2 785
	2620	29,4	3 165	32,1	3 295	34,8	3 424	37,5	3 553
	3810	44,0	3 887	48,1	4 034	52,2	4 180	56,3	4 327
	5000	58,7	4 614	64,1	4 778	69,6	4 943	75,0	5 107
	6190	73,4	5 336	80,2	5 517	87,0	5 699	93,8	5 881
	7380	88,1	6 051	96,2	6 250	104,4	6 450	112,5	6 649
	8570	102,7	6 772	112,3	6 989	121,8	7 218	131,3	7 434
7140	1430	17,7	2 781	19,4	2 910	21,0	3 040	22,7	3 169
	2620	35,5	3 604	38,8	3 751	42,0	3 897	45,3	4 044
	3810	53,2	4 420	58,1	4 597	63,1	4 761	68,0	4 925
	5000	70,9	5 255	77,5	5 437	84,1	5 619	90,6	5 801
	6190	88,7	6 071	96,9	6 271	105,1	6 470	113,3	6 670
	7380	106,4	6 894	116,3	7 123	126,1	7 340	136,0	7 556
	8570	124,2	7 722	135,6	7 957	147,1	8 192	158,6	8 425
8330	1430	20,8	3 118	22,7	3 265	24,6	3 412	26,6	3 559
	2620	41,6	4 036	45,4	4 200	49,3	4 365	53,1	4 529
	3810	62,4	4 972	68,2	5 154	73,9	5 336	79,7	5 517
	5000	83,2	5 889	90,9	6 089	98,6	6 288	106,3	6 488
	6190	104,0	6 813	113,6	7 030	123,2	7 259	132,9	7 475
	7380	124,8	7 743	136,3	7 977	147,9	8 212	159,4	8 445
	8570	145,6	8 666	159,0	8 918	172,5	9 171	186,0	9 434

You can order a cold room in custom size according to your specific needs



Agrohim territory, bld. 58, Schelkovo,
 Moscow region, 141101, Russia

+7 (495) 745-01-37
 +7 (800) 700-01-37

www.profhod.ru/en



ProfHoloD Cold Rooms solution includes

- **Wall insulated panels:**
 - External and internal surface: galvanized steel with polymer coating, RAL 9003 colour;
 - Insulation: rigid polyurethane foam PIR Premier, polyurethane foam density up to 50 kg/m³;
 - Core thermal conductivity coefficient $k=0,022 \text{ W/(m}^2\text{K)}$.
- **Ceiling panels:**
 - External surface: galvanized steel;
 - Internal surface: galvanized steel with polymer coating, RAL 9003 colour.
- **Floor panels:**
 - External and internal surface: galvanized steel.
- **Door: Insulated Hinged Single Leaf Door, size 800x1800 mm, installed on panel, Half-Hidden.**
- **Shaped elements**
- **Package**

Extras:

- **Hinged Double Leaf or Sliding Insulated Doors**
- **Gasket heating cable**
- **PVC strip curtain**
- **Door ramp**

How to choose polyurethane insulated panel thickness depending on inside and outside temperature

Panel thickness, mm	40	50	60	80	100	120	140	150	160	180	200
Temperature difference											
10° C	5,3	4,2	3,5	2,6	2,1	1,7	1,5	1,4	1,3	1,2	1
15° C	7,9	6,3	5,25	3,9	3,15	2,55	2,25	2,1	1,95	1,8	1,5
20° C	10,5	8,4	7	5,2	4,2	3,4	3	2,8	2,6	2,4	2
25° C	13,1	10,5	8,75	6,5	5,25	4,25	3,75	3,5	3,25	3	2,5
30° C	15,8	12,6	10,5	7,8	6,3	5,1	4,5	4,2	3,9	3,6	3
35° C	18,4	14,7	12,25	9,1	7,35	5,95	5,25	4,9	4,55	4,2	3,5
40° C	21	16,8	14	10,4	8,4	6,8	6	5,6	5,2	4,8	4
45° C	23,6	18,9	15,75	11,7	9,45	7,6	6,75	6,3	5,85	5,4	4,5
50° C	26,3	21	17,5	13	10,5	8,5	7,5	7	6,5	6	5
55° C	28,9	23,1	19,25	14,3	11,55	9,35	8,25	7,7	7,15	6,6	5,5
60° C	31,5	25,2	21	15,6	12,6	10,2	9	8,4	7,8	7,2	6
65° C	34,1	27,3	22,75	16,9	13,65	11,05	9,75	9,1	8,45	7,8	6,5
70° C	36,8	29,4	24,5	18,2	14,7	11,9	10,5	9,8	9,1	8,4	7
75° C	39,4	31,5	26,2	19,5	15,7	12,7	11,25	10,5	9,75	9	7,5
80° C	42	33,6	28	20,8	16,8	13,6	12	11,2	10,4	9,6	8
85° C	44,6	35,7	29,8	22,1	17,9	14,5	12,8	11,9	11	10,2	8,5
90° C	47,3	37,8	31,5	23,4	19,3	15,7	13,7	12,8	11,9	11,1	9,5
95° C	49,9	39,9	33,3	24,7	20,6	16,9	14,8	13,9	13,1	12,3	10,7



Agrohim territory, bld. 58, Schelkovo,
Moscow region, 141100, Russia

+7 (495) 745-01-37

+7 (800) 700-01-37

www.profholid.ru/en