


WALL, ROOF PIR PREMIER, PUR CLASSIC INSULATED PANELS

ALL PRICES IN EURO, VAT NOT INCLUDED

09.09.2024


WALL PANELS



PIR PREMIER INSULATED PANELS WITH STUD-SPLINE JOINT

| EXTERIOR COATING      |           | PANELS' THICKNESS, MM / TYPE OF STUD-SPLINE JOINT |       |       |           |       |       |           |       |
|-----------------------|-----------|---|-------|-------|-----------|-------|-------|-----------|-------|
|                       |           | 1X-SPLINE   |       |       | 2X-SPLINE |       |       | 3X-SPLINE |       |
| SIDE A                | SIDE B    | 40  | 50    | 60    | 80        | 100   | 120   | 150       | 200   |
| FIRE RESISTANCE CLASS |           | EI 15   |       |       | EI 30     |       |       | EI 45     |       |
| RAL                   | RAL       | 25,15   | 26,68 | 28,30 | 31,52     | 34,88 | 38,68 | 44,74     | 54,79 |
|                       | ZN        | 24,28   | 25,81 | 27,43 | 30,65     | 34,01 | 37,81 | 43,87     | 53,91 |
|                       | AISI 304  | 39,18   | 40,71 | 42,33 | 45,56     | 48,91 | 52,71 | 58,77     | 68,82 |
|                       | AISI 430  | 34,06   | 35,59 | 37,21 | 40,43     | 43,79 | 47,59 | 53,64     | 63,69 |
|                       | PVDF      | 35,39   | 36,92 | 38,54 | 41,76     | 45,12 | 48,92 | 54,98     | 65,02 |
|                       | PU        | 32,21   | 33,75 | 35,37 | 38,59     | 41,94 | 45,75 | 51,80     | 61,85 |
|                       | FOOD SAFE | 38,42   | 39,95 | 41,57 | 44,79     | 48,15 | 51,95 | 58,01     | 68,06 |
| ZN                    | RAL       | 24,28   | 25,81 | 27,43 | 30,65     | 34,01 | 37,81 | 43,87     | 53,91 |
|                       | ZN        | 23,40   | 24,94 | 26,56 | 29,78     | 33,13 | 36,94 | 42,99     | 53,04 |
|                       | AISI 304  | 38,31   | 39,84 | 41,46 | 44,68     | 48,04 | 51,84 | 57,90     | 67,94 |
|                       | AISI 430  | 33,18   | 34,71 | 36,33 | 39,56     | 42,91 | 46,71 | 52,77     | 62,82 |
|                       | PVDF      | 34,52   | 36,05 | 37,67 | 40,89     | 44,25 | 48,05 | 54,10     | 64,15 |
|                       | PU        | 31,34   | 32,87 | 34,49 | 37,71     | 41,07 | 44,87 | 50,93     | 60,98 |
|                       | FOOD SAFE | 37,55   | 39,08 | 40,70 | 43,92     | 47,28 | 51,08 | 57,13     | 67,18 |
| AISI 304              | RAL       | 39,18   | 40,71 | 42,33 | 45,56     | 48,91 | 52,71 | 58,77     | 68,82 |
|                       | ZN        | 38,31   | 39,84 | 41,46 | 44,68     | 48,04 | 51,84 | 57,90     | 67,94 |
|                       | AISI 304  | 53,21   | 54,75 | 56,37 | 59,59     | 62,94 | 66,75 | 72,80     | 82,85 |
|                       | AISI 430  | 48,09   | 49,62 | 51,24 | 54,46     | 57,82 | 61,62 | 67,67     | 77,72 |
|                       | PVDF      | 49,42   | 50,95 | 52,57 | 55,79     | 59,15 | 62,95 | 69,01     | 79,06 |
|                       | PU        | 46,25   | 47,78 | 49,40 | 52,62     | 55,98 | 59,78 | 65,83     | 75,88 |
|                       | FOOD SAFE | 52,45   | 53,98 | 55,60 | 58,83     | 62,18 | 65,98 | 72,04     | 82,09 |
| AISI 430              | RAL       | 34,06   | 35,59 | 37,21 | 40,43     | 43,79 | 47,59 | 53,64     | 63,69 |
|                       | ZN        | 33,18   | 34,71 | 36,33 | 39,56     | 42,91 | 46,71 | 52,77     | 62,82 |
|                       | AISI 304  | 48,09   | 49,62 | 51,24 | 54,46     | 57,82 | 61,62 | 67,67     | 77,72 |
|                       | AISI 430  | 42,96   | 44,49 | 46,11 | 49,33     | 52,69 | 56,49 | 62,55     | 72,60 |
|                       | PVDF      | 44,29   | 45,83 | 47,44 | 50,67     | 54,02 | 57,83 | 63,88     | 73,93 |
|                       | PU        | 41,12   | 42,65 | 44,27 | 47,49     | 50,85 | 54,65 | 60,71     | 70,75 |
|                       | FOOD SAFE | 47,33   | 48,86 | 50,48 | 53,70     | 57,06 | 60,86 | 66,91     | 76,96 |
| PVDF                  | RAL       | 35,39   | 36,92 | 38,54 | 41,76     | 45,12 | 48,92 | 54,98     | 65,02 |
|                       | ZN        | 34,52   | 36,05 | 37,67 | 40,89     | 44,25 | 48,05 | 54,10     | 64,15 |
|                       | AISI 304  | 49,42   | 50,95 | 52,57 | 55,79     | 59,15 | 62,95 | 69,01     | 79,06 |
|                       | AISI 430  | 44,29   | 45,83 | 47,44 | 50,67     | 54,02 | 57,83 | 63,88     | 73,93 |
|                       | PVDF      | 45,63   | 47,16 | 48,78 | 52,00     | 55,36 | 59,16 | 65,21     | 75,26 |
|                       | PU        | 42,45   | 43,98 | 45,60 | 48,83     | 52,18 | 55,98 | 62,04     | 72,09 |
|                       | FOOD SAFE | 48,66   | 50,19 | 51,81 | 55,03     | 58,39 | 62,19 | 68,25     | 78,29 |

|                          |           |       |       |       |       |       |       |       |       |
|--------------------------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|
|                          | RAL       | 32,21 | 33,75 | 35,37 | 38,59 | 41,94 | 45,75 | 51,80 | 61,85 |
|                          | ZN        | 31,34 | 32,87 | 34,49 | 37,71 | 41,07 | 44,87 | 50,93 | 60,98 |
|                          | AISI 304  | 46,25 | 47,78 | 49,40 | 52,62 | 55,98 | 59,78 | 65,83 | 75,88 |
| <b>PU (POLYURETHANE)</b> | AISI 430  | 41,12 | 42,65 | 44,27 | 47,49 | 50,85 | 54,65 | 60,71 | 70,75 |
|                          | PVDF      | 42,45 | 43,98 | 45,60 | 48,83 | 52,18 | 55,98 | 62,04 | 72,09 |
|                          | PU        | 39,28 | 40,81 | 42,43 | 45,65 | 49,01 | 52,81 | 58,87 | 68,91 |
|                          | FOOD SAFE | 45,48 | 47,02 | 48,63 | 51,86 | 55,21 | 59,02 | 65,07 | 75,12 |
| <b>FOOD SAFE</b>         | FOOD SAFE | 51,69 | 53,22 | 54,84 | 58,06 | 61,42 | 65,22 | 71,28 | 81,33 |
| <b>PAPER</b>             | PAPER     | 8,81  | 10,85 | 12,95 | 17,12 | 21,38 | 25,54 | 31,85 | 42,37 |
| <b>FILM</b>              | FILM      | 9,29  | 11,33 | 13,44 | 17,60 | 21,87 | 26,02 | 32,33 | 42,86 |
| <b>FOIL</b>              | FOIL      | 10,98 | 13,02 | 15,13 | 19,29 | 23,56 | 27,71 | 34,02 | 44,55 |



#### PIR PREMIER INSULATED PANELS WITH SECRET FIX HIDDEN LOCK JOINT


| EXTERIOR COATING      |           | PANELS' THICKNESS, MM / SECRET FIX HIDDEN LOCK JOINT |       |       |       |
|-----------------------|-----------|--|-------|-------|-------|
| SIDE A                | SIDE B    | 80   | 100   | 120   | 150   |
| FIRE RESISTANCE CLASS |           | EI 30  |       | EI 45 |       |
| <b>RAL</b>            | RAL       | 33,84  | 37,91 | 41,81 | 47,78 |
|                       | ZN        | 32,60  | 36,67 | 40,56 | 46,53 |
|                       | AISI 304  | 53,89  | 57,96 | 61,86 | 67,83 |
|                       | AISI 430  | 46,56  | 50,63 | 54,53 | 60,50 |
|                       | PVDF      | 48,47  | 52,54 | 56,44 | 62,40 |
|                       | PU        | 43,93  | 48,00 | 51,90 | 57,87 |
|                       | FOOD SAFE | 52,80  | 56,87 | 60,77 | 66,74 |
| <b>ZN</b>             | RAL       | 32,60  | 36,67 | 40,56 | 46,53 |
|                       | ZN        | 31,35  | 35,42 | 39,32 | 45,29 |
|                       | AISI 304  | 52,64  | 56,71 | 60,61 | 66,58 |
|                       | AISI 430  | 45,32  | 49,39 | 53,29 | 59,25 |
|                       | PVDF      | 47,22  | 51,29 | 55,19 | 61,16 |
|                       | PU        | 42,68  | 46,75 | 50,65 | 56,62 |
|                       | FOOD SAFE | 51,56  | 55,63 | 59,52 | 65,49 |
| <b>AISI 304</b>       | RAL       | 53,89  | 57,96 | 61,86 | 67,83 |
|                       | ZN        | 52,64  | 56,71 | 60,61 | 66,58 |
|                       | AISI 304  | 73,94  | 78,01 | 81,90 | 87,87 |
|                       | AISI 430  | 66,61  | 70,68 | 74,58 | 80,55 |
|                       | PVDF      | 68,52  | 72,59 | 76,48 | 82,45 |
|                       | PU        | 63,98  | 68,05 | 71,94 | 77,91 |
|                       | FOOD SAFE | 72,85  | 76,92 | 80,82 | 86,79 |
| <b>AISI 430</b>       | RAL       | 46,56  | 50,63 | 54,53 | 60,50 |
|                       | ZN        | 45,32  | 49,39 | 53,29 | 59,25 |
|                       | AISI 304  | 66,61  | 70,68 | 74,58 | 80,55 |
|                       | AISI 430  | 59,29  | 63,36 | 67,25 | 73,22 |
|                       | PVDF      | 61,19  | 65,26 | 69,16 | 75,13 |
|                       | PU        | 56,65  | 60,72 | 64,62 | 70,59 |
|                       | FOOD SAFE | 65,52  | 69,60 | 73,49 | 79,46 |
| <b>PVDF</b>           | RAL       | 48,47  | 52,54 | 56,44 | 62,40 |
|                       | ZN        | 47,22  | 51,29 | 55,19 | 61,16 |
|                       | AISI 304  | 68,52  | 72,59 | 76,48 | 82,45 |
|                       | AISI 430  | 61,19  | 65,26 | 69,16 | 75,13 |
|                       | PVDF      | 63,10  | 67,17 | 71,06 | 77,03 |
|                       | PU        | 58,56  | 62,63 | 66,52 | 72,49 |
|                       | FOOD SAFE | 67,43  | 71,50 | 75,40 | 81,37 |

|                          |           |       |       |       |       |
|--------------------------|-----------|-------|-------|-------|-------|
|                          | RAL       | 43,93 | 48,00 | 51,90 | 57,87 |
|                          | ZN        | 42,68 | 46,75 | 50,65 | 56,62 |
|                          | AISI 304  | 63,98 | 68,05 | 71,94 | 77,91 |
| <b>PU (POLYURETHANE)</b> | AISI 430  | 56,65 | 60,72 | 64,62 | 70,59 |
|                          | PVDF      | 58,56 | 62,63 | 66,52 | 72,49 |
|                          | PU        | 54,02 | 58,09 | 61,98 | 67,95 |
|                          | FOOD SAFE | 62,89 | 66,96 | 70,86 | 76,83 |
| <b>FOOD SAFE</b>         | FOOD SAFE | 71,76 | 75,83 | 79,73 | 85,70 |

PUR CLASSIC INSULATED PANELS

| EXTERIOR COATING         |           | PANELS' THICKNESS, MM / TYPE OF STUD-SPLINE JOINT |       |       |       |           |       |       |       |           |       |       |
|--------------------------|-----------|---|-------|-------|-------|-----------|-------|-------|-------|-----------|-------|-------|
|                          |           | 1X-SPLINE   |       |       |       | 2X-SPLINE |       |       |       | 3X-SPLINE |       |       |
| SIDE A                   | SIDE B    | 40  | 50    | 60    | 80    | 100       | 120   | 140   | 150   | 160       | 180   | 200   |
| FIRE RESISTANCE CLASS    |           | EI 15   |       |       |       |           |       |       |       |           |       |       |
| <b>RAL</b>               | RAL       | 28,29   | 30,02 | 31,84 | 35,47 | 39,24     | 43,52 | 48,06 | 50,33 | 54,10     | 57,87 | 61,63 |
|                          | ZN        | 27,42   | 29,14 | 30,97 | 34,60 | 38,37     | 42,64 | 47,19 | 49,46 | 53,23     | 57,00 | 60,76 |
|                          | AISI 304  | 42,33   | 44,05 | 45,87 | 49,50 | 53,27     | 57,55 | 62,10 | 64,37 | 68,13     | 71,90 | 75,67 |
|                          | AISI 430  | 37,20   | 38,92 | 40,75 | 44,37 | 48,14     | 52,42 | 56,97 | 59,24 | 63,01     | 66,78 | 70,54 |
|                          | PVDF      | 38,53   | 40,25 | 42,08 | 45,71 | 49,48     | 53,75 | 58,30 | 60,57 | 64,34     | 68,11 | 71,87 |
|                          | PU        | 35,36   | 37,08 | 38,90 | 42,53 | 46,30     | 50,58 | 55,13 | 57,40 | 61,17     | 64,94 | 68,70 |
|                          | FOOD SAFE | 41,56   | 43,29 | 45,11 | 48,74 | 52,51     | 56,79 | 61,33 | 63,60 | 67,37     | 71,14 | 74,90 |
| <b>ZN</b>                | RAL       | 27,42   | 29,14 | 30,97 | 34,60 | 38,37     | 42,64 | 47,19 | 49,46 | 53,23     | 57,00 | 60,76 |
|                          | ZN        | 26,55   | 28,27 | 30,10 | 33,72 | 37,49     | 41,77 | 46,32 | 48,59 | 52,36     | 56,13 | 59,89 |
|                          | AISI 304  | 41,45   | 43,17 | 45,00 | 48,63 | 52,40     | 56,67 | 61,22 | 63,49 | 67,26     | 71,03 | 74,79 |
|                          | AISI 430  | 36,33   | 38,05 | 39,87 | 43,50 | 47,27     | 51,55 | 56,10 | 58,37 | 62,13     | 65,90 | 69,67 |
|                          | PVDF      | 37,66   | 39,38 | 41,21 | 44,83 | 48,60     | 52,88 | 57,43 | 59,70 | 63,47     | 67,24 | 71,00 |
|                          | PU        | 34,48   | 36,21 | 38,03 | 41,66 | 45,43     | 49,71 | 54,25 | 56,52 | 60,29     | 64,06 | 67,83 |
|                          | FOOD SAFE | 40,69   | 42,41 | 44,24 | 47,87 | 51,63     | 55,91 | 60,46 | 62,73 | 66,50     | 70,27 | 74,03 |
| <b>AISI 304</b>          | RAL       | 42,33   | 44,05 | 45,87 | 49,50 | 53,27     | 57,55 | 62,10 | 64,37 | 68,13     | 71,90 | 75,67 |
|                          | ZN        | 41,45   | 43,17 | 45,00 | 48,63 | 52,40     | 56,67 | 61,22 | 63,49 | 67,26     | 71,03 | 74,79 |
|                          | AISI 304  | 56,36   | 58,08 | 59,90 | 63,53 | 67,30     | 71,58 | 76,13 | 78,40 | 82,17     | 85,94 | 89,70 |
|                          | AISI 430  | 51,23   | 52,95 | 54,78 | 58,40 | 62,17     | 66,45 | 71,00 | 73,27 | 77,04     | 80,81 | 84,57 |
|                          | PVDF      | 52,56   | 54,29 | 56,11 | 59,74 | 63,51     | 67,79 | 72,33 | 74,60 | 78,37     | 82,14 | 85,90 |
|                          | PU        | 49,39   | 51,11 | 52,94 | 56,56 | 60,33     | 64,61 | 69,16 | 71,43 | 75,20     | 78,97 | 82,73 |
|                          | FOOD SAFE | 55,60   | 57,32 | 59,14 | 62,77 | 66,54     | 70,82 | 75,37 | 77,63 | 81,40     | 85,17 | 88,94 |
| <b>AISI 430</b>          | RAL       | 37,20   | 38,92 | 40,75 | 44,37 | 48,14     | 52,42 | 56,97 | 59,24 | 63,01     | 66,78 | 70,54 |
|                          | ZN        | 36,33   | 38,05 | 39,87 | 43,50 | 47,27     | 51,55 | 56,10 | 58,37 | 62,13     | 65,90 | 69,67 |
|                          | AISI 304  | 51,23   | 52,95 | 54,78 | 58,40 | 62,17     | 66,45 | 71,00 | 73,27 | 77,04     | 80,81 | 84,57 |
|                          | AISI 430  | 46,10   | 47,83 | 49,65 | 53,28 | 57,05     | 61,33 | 65,87 | 68,14 | 71,91     | 75,68 | 79,44 |
|                          | PVDF      | 47,44   | 49,16 | 50,98 | 54,61 | 58,38     | 62,66 | 67,21 | 69,48 | 73,25     | 77,02 | 80,78 |
|                          | PU        | 44,26   | 45,98 | 47,81 | 51,44 | 55,21     | 59,48 | 64,03 | 66,30 | 70,07     | 73,84 | 77,60 |
|                          | FOOD SAFE | 50,47   | 52,19 | 54,02 | 57,64 | 61,41     | 65,69 | 70,24 | 72,51 | 76,28     | 80,05 | 83,81 |
| <b>PVDF</b>              | RAL       | 38,53   | 40,25 | 42,08 | 45,71 | 49,48     | 53,75 | 58,30 | 60,57 | 64,34     | 68,11 | 71,87 |
|                          | ZN        | 37,66   | 39,38 | 41,21 | 44,83 | 48,60     | 52,88 | 57,43 | 59,70 | 63,47     | 67,24 | 71,00 |
|                          | AISI 304  | 52,56   | 54,29 | 56,11 | 59,74 | 63,51     | 67,79 | 72,33 | 74,60 | 78,37     | 82,14 | 85,90 |
|                          | AISI 430  | 47,44   | 49,16 | 50,98 | 54,61 | 58,38     | 62,66 | 67,21 | 69,48 | 73,25     | 77,02 | 80,78 |
|                          | PVDF      | 48,77   | 50,49 | 52,32 | 55,94 | 59,71     | 63,99 | 68,54 | 70,81 | 74,58     | 78,35 | 82,11 |
|                          | PU        | 45,60   | 47,32 | 49,14 | 52,77 | 56,54     | 60,82 | 65,37 | 67,63 | 71,40     | 75,17 | 78,94 |
|                          | FOOD SAFE | 51,80   | 53,52 | 55,35 | 58,98 | 62,75     | 67,02 | 71,57 | 73,84 | 77,61     | 81,38 | 85,14 |
| <b>PU (POLYURETHANE)</b> | RAL       | 35,36   | 37,08 | 38,90 | 42,53 | 46,30     | 50,58 | 55,13 | 57,40 | 61,17     | 64,94 | 68,70 |
|                          | ZN        | 34,48   | 36,21 | 38,03 | 41,66 | 45,43     | 49,71 | 54,25 | 56,52 | 60,29     | 64,06 | 67,83 |
|                          | AISI 304  | 49,39   | 51,11 | 52,94 | 56,56 | 60,33     | 64,61 | 69,16 | 71,43 | 75,20     | 78,97 | 82,73 |
|                          | AISI 430  | 44,26   | 45,98 | 47,81 | 51,44 | 55,21     | 59,48 | 64,03 | 66,30 | 70,07     | 73,84 | 77,60 |
|                          | PVDF      | 45,60   | 47,32 | 49,14 | 52,77 | 56,54     | 60,82 | 65,37 | 67,63 | 71,40     | 75,17 | 78,94 |
|                          | PU        | 42,42   | 44,14 | 45,97 | 49,60 | 53,37     | 57,64 | 62,19 | 64,46 | 68,23     | 72,00 | 75,76 |
| <b>FOOD SAFE</b>         | FOOD SAFE | 48,63   | 50,35 | 52,17 | 55,80 | 59,57     | 63,85 | 68,40 | 70,67 | 74,44     | 78,21 | 81,97 |
| <b>FOOD SAFE</b>         | FOOD SAFE | 54,83   | 56,56 | 58,38 | 62,01 | 65,78     | 70,06 | 74,60 | 76,87 | 80,64     | 84,41 | 88,17 |
| <b>PAPER</b>             | PAPER     | 12,59   | 15,39 | 18,33 | 23,06 | 28,63     | 34,13 | 39,54 | 42,41 | 45,26     | 50,67 | 56,25 |
| <b>FILM</b>              | FILM      | 13,07   | 15,87 | 18,81 | 23,55 | 29,11     | 34,61 | 40,02 | 42,90 | 45,75     | 51,16 | 56,74 |
| <b>FOIL</b>              | FOIL      | 14,76   | 17,56 | 20,50 | 25,24 | 30,80     | 36,30 | 41,71 | 44,59 | 47,44     | 52,85 | 58,43 |

## ROOF PANELS



### PIR PREMIER INSULATED PANELS

| EXTERIOR COATING         |                  | PANELS' THICKNESS (WITHOUT RIB HEIGHT), MM |       |       |       |       |       |       |       |
|--------------------------|------------------|--|-------|-------|-------|-------|-------|-------|-------|
| SIDE A                   | SIDE B           | 30   | 40    | 50    | 60    | 80    | 100   | 120   | 150   |
| FIRE RESISTANCE CLASS    |                  | RE 15                                      |       |       |       | RE 30 |       |       |       |
| <b>RAL</b>               | RAL              | 26,78                                      | 28,42 | 30,16 | 31,84 | 34,79 | 37,92 | 41,65 | 47,24 |
|                          | ZN               | 25,75                                      | 27,40 | 29,13 | 30,82 | 33,76 | 36,90 | 40,63 | 46,21 |
|                          | AISI 304         | 43,17                                      | 44,81 | 46,55 | 48,23 | 51,17 | 54,31 | 58,04 | 63,63 |
|                          | AISI 430         | 37,18                                      | 38,83 | 40,56 | 42,25 | 45,19 | 48,33 | 52,06 | 57,64 |
|                          | PVDF             | 38,74                                      | 40,38 | 42,12 | 43,80 | 46,75 | 49,88 | 53,61 | 59,20 |
|                          | PU               | 35,03                                      | 36,67 | 38,41 | 40,10 | 43,04 | 46,17 | 49,90 | 55,49 |
|                          | FOOD SAFE        | 42,28                                      | 43,92 | 45,66 | 47,34 | 50,29 | 53,42 | 57,15 | 62,74 |
| <b>ZN</b>                | RAL              | 25,75                                      | 27,40 | 29,13 | 30,82 | 33,76 | 36,90 | 40,63 | 46,21 |
|                          | ZN               | 24,73                                      | 26,37 | 28,11 | 29,79 | 32,74 | 35,87 | 39,60 | 45,19 |
|                          | AISI 304         | 42,14                                      | 43,79 | 45,52 | 47,21 | 50,15 | 53,29 | 57,02 | 62,60 |
|                          | AISI 430         | 36,16                                      | 37,80 | 39,54 | 41,22 | 44,17 | 47,30 | 51,03 | 56,62 |
|                          | PVDF             | 37,71                                      | 39,36 | 41,10 | 42,78 | 45,72 | 48,86 | 52,59 | 58,17 |
|                          | PU               | 34,01                                      | 35,65 | 37,39 | 39,07 | 42,02 | 45,15 | 48,88 | 54,47 |
|                          | FOOD SAFE        | 41,25                                      | 42,90 | 44,63 | 46,32 | 49,26 | 52,40 | 56,13 | 61,71 |
| <b>AISI 304</b>          | RAL              | 43,17                                      | 44,81 | 46,55 | 48,23 | 51,17 | 54,31 | 58,04 | 63,63 |
|                          | ZN               | 42,14                                      | 43,79 | 45,52 | 47,21 | 50,15 | 53,29 | 57,02 | 62,60 |
|                          | AISI 304         | 59,56                                      | 61,20 | 62,94 | 64,62 | 67,56 | 70,70 | 74,43 | 80,02 |
|                          | AISI 430         | 53,57                                      | 55,21 | 56,95 | 58,63 | 61,58 | 64,71 | 68,44 | 74,03 |
|                          | PVDF             | 55,13                                      | 56,77 | 58,51 | 60,19 | 63,13 | 66,27 | 70,00 | 75,59 |
|                          | PU               | 51,42                                      | 53,06 | 54,80 | 56,48 | 59,43 | 62,56 | 66,29 | 71,88 |
|                          | FOOD SAFE        | 58,67                                      | 60,31 | 62,05 | 63,73 | 66,67 | 69,81 | 73,54 | 79,13 |
| <b>AISI 430</b>          | RAL              | 37,18                                      | 38,83 | 40,56 | 42,25 | 45,19 | 48,33 | 52,06 | 57,64 |
|                          | ZN               | 36,16                                      | 37,80 | 39,54 | 41,22 | 44,17 | 47,30 | 51,03 | 56,62 |
|                          | AISI 304         | 53,57                                      | 55,21 | 56,95 | 58,63 | 61,58 | 64,71 | 68,44 | 74,03 |
|                          | AISI 430         | 47,59                                      | 49,23 | 50,97 | 52,65 | 55,60 | 58,73 | 62,46 | 68,05 |
|                          | PVDF             | 49,14                                      | 50,79 | 52,52 | 54,21 | 57,15 | 60,29 | 64,02 | 69,60 |
|                          | PU               | 45,44                                      | 47,08 | 48,82 | 50,50 | 53,44 | 56,58 | 60,31 | 65,90 |
|                          | FOOD SAFE        | 52,68                                      | 54,33 | 56,06 | 57,75 | 60,69 | 63,83 | 67,56 | 73,14 |
| <b>PVDF</b>              | RAL              | 38,74                                      | 40,38 | 42,12 | 43,80 | 46,75 | 49,88 | 53,61 | 59,20 |
|                          | ZN               | 37,71                                      | 39,36 | 41,10 | 42,78 | 45,72 | 48,86 | 52,59 | 58,17 |
|                          | AISI 304         | 55,13                                      | 56,77 | 58,51 | 60,19 | 63,13 | 66,27 | 70,00 | 75,59 |
|                          | AISI 430         | 49,14                                      | 50,79 | 52,52 | 54,21 | 57,15 | 60,29 | 64,02 | 69,60 |
|                          | PVDF             | 50,70                                      | 52,34 | 54,08 | 55,76 | 58,71 | 61,84 | 65,57 | 71,16 |
|                          | PU               | 46,99                                      | 48,63 | 50,37 | 52,06 | 55,00 | 58,13 | 61,87 | 67,45 |
|                          | FOOD SAFE        | 54,24                                      | 55,88 | 57,62 | 59,30 | 62,25 | 65,38 | 69,11 | 74,70 |
| <b>PU (POLYURETHANE)</b> | RAL              | 35,03                                      | 36,67 | 38,41 | 40,10 | 43,04 | 46,17 | 49,90 | 55,49 |
|                          | ZN               | 34,01                                      | 35,65 | 37,39 | 39,07 | 42,02 | 45,15 | 48,88 | 54,47 |
|                          | AISI 304         | 51,42                                      | 53,06 | 54,80 | 56,48 | 59,43 | 62,56 | 66,29 | 71,88 |
|                          | AISI 430         | 45,44                                      | 47,08 | 48,82 | 50,50 | 53,44 | 56,58 | 60,31 | 65,90 |
|                          | PVDF             | 46,99                                      | 48,63 | 50,37 | 52,06 | 55,00 | 58,13 | 61,87 | 67,45 |
|                          | PU               | 43,29                                      | 44,93 | 46,67 | 48,35 | 51,29 | 54,43 | 58,16 | 63,75 |
|                          | FOOD SAFE        | 50,53                                      | 52,17 | 53,91 | 55,60 | 58,54 | 61,67 | 65,40 | 70,99 |
| <b>FOOD SAFE</b>         | <b>FOOD SAFE</b> | 57,78                                      | 59,42 | 61,16 | 62,84 | 65,79 | 68,92 | 72,65 | 78,24 |

## EXPERIENCE OVERVIEW



17 YEARS IN BUSINESS



27 EXPORT DESTINATIONS



3,0+ MILLION SQ. M OF INSULATED  
PANELS WITH PIR PREMIER  
AND PUR CLASSIC CORE  
PRODUCED ANNUALLY

## PROFHOLOD INSULATED PANELS



ARE CERTIFIED ACCORDING  
TO THE EUROPEAN STANDARD  
EN 14509, CE MARKED SINCE 2017



MANUFACTURED WITH CUSTOMIZED  
PIR PREMIER BLEND EMPOWERED  
BY THE RUSSIAN SCIENCE



DELIVER THERMAL CONDUCTIVITY  
OF UP TO 0,0194 W/(M\*K)

- **Fire rating** B-s2-d0.
- **Panels' length** – up to 16 meters. All panels are produced in custom sizes according to your
- **Panels' skin:** 0.4-0.7 mm metal produced by the top Russian and world suppliers: Arcelor, Ruukki, Lampre, Severstal, etc. You can order insulated panels with food grade or standard stainless steel Food Safe Laminate, PVDF and other special facings.
- **Colors:** you can choose any color from the RAL chart.
- **Profiling:** flat or with ribs.



+7 [495] 240-83-14

[WWW.PROFHOLOD.COM](http://WWW.PROFHOLOD.COM)